

PHYSICAL THERAPY SECTION WILLIAM BEAUMONT ARMY MEDICAL CENTER 5005 N. PIEDRAS ST EL PASO, TEXAS 79920



BICEP TENODESIS

Revised February 2009

Post-op Days 1 – 7

Sling x 6 weeks – Even while sleeping

Place pillow under shoulder / arm while sleeping for comfort

NO RESISTED SHOULDER ABDUCTION/FLEXION, ELBOW FLEXION, SUPINATION x 6wks

Hand squeezing exercises

Elbow and wrist active motion (AROM) with shoulder in neutral position at side Supported pendulum exercises

Shoulder shrugs / scapular retraction without resistance Ice pack

Goals - pain control/protection

Week 1 - 6

Continue sling x 6 weeks
Continue appropriate previous exercises
Full pendulum exercises
AROM/AAROM as tolerated (pulleys/wand/wall walks)
1-2 Finger Isometrics x 6 (fist in box)
Stationary bike (must wear sling)

Goal - Full AROM

Weeks 6 - 9

D/C Sling

Continue appropriate previous exercises Rotator cuff strengthening with Theraband

ED and ID arms at aide with malled to

- ER and IR arm at side with rolled towel in axilla
- Flexion to 60 degrees
- Abduction to 60 degrees
- Scaption to 60 degrees
- Extension to 30 degrees

Standing rows with Theraband

Resistive elbow / wrist exercises with light dumbbell

Push-up progression - Wall, etc

Body Blade

Ball on wall (arcs, alphabet)

BAPS / BOSU on hands

UBE - Forwards and backwards at low resistance

Elliptical trainer

Stairmaster

Pool walking / running - No UE resistive exercises

Goals - 30 wall push- ups

Weeks 9 - 12

Continue appropriate previous exercises with increased resistance PROM / mobilization as needed to regain full ROM Seated row weight machine with light weight Push-up progression – Wall to table Ball toss with arm at side using light ball Treadmill – Running progression program Pool therapy – With UE resistance

Goal - Rotator cuff strength WNL

<u>Months 3 − 4</u>

Continue appropriate previous exercises
Fitter on hands
Ball toss overhead
Weight training with light resistance (no overhead press, pull downs, lateral lifts)
Push-up progression – Table to chair

Goals - Run 2 miles at easy pace, 30 chair push-ups

Months 4 - 6

Continue appropriate previous exercises Push-ups, regular Sit-ups Gravitron – Pull-ups and dips Swimming Running progression to track Progressive weight training program Transition to home / gym program

Goals

Resume all activities Pass APFT at 6 months post-op

No contact sports until 6 months post-op

BRYAN L. BOYEA LTC, SP Chief, Physical Therapy MICHAEL S. MACHEN LTC(P), MC Chief, Orthopedics

Physical Therapy Clinic William Beaumont Army Medical Center El Paso, TX 79920


Shoulder Post Op Phase 1
Perform exercises below frequently: 30 reps 3-5x a day

Grip Squeeze



Elbow active range of motion





Shoulder Shrugs

Ice x 10-15min 2-3 x per day





Appointments?? Questions??

WBAMC PT: DSN:979-2181/1848 COMM: (915)569-2181/1848